



Microbial Profile

Customer: Fountain of Health
Customer Sample ID: Mint Choc. 1000mg
Laboratory Number: 201903-0731
Extraction Technician: MTO
Analytical Chemist: RH

Extraction Date(s)	Analysis Date(s)
3/13/2019	3/18/2019

		Results	
	Method Code		Units
Salmonella spp.	Salm.1	Negative	/1g
Non-O157 STEC*	STEC.1.b	Negative	/1g
Listeria monocytogenes	Lmono.2	Negative	/1g
Escherichia coli	TCEC.1a	<10	CFU/g
Total Chloroform Bacteria	TCEC.1a	<10	CFU/g
Aerobic Plate Count	APC.1a	<10	CFU/g
Staphylococcus aureus	S.aureus.1.a	<10	CFU/g
Yeast & Mold	Y&M.1a	<10	CFU/g

Limits for microbials vary greatly depending on usage of the sample. Altitude Consulting recommends researching federal and state regulatory limits. Altitude Consulting, LLC utilizes NIST traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced.

This report expires 30 days after analysis date.